

Allergens per 0.5 mL

Amphotericin B	RabAvert (Novartis)	Rabies	< 2 ng	
Calf Lymph	Dryvax (W)	Smallpox		
	RabAvert (Chiron)	Rabies	Bovine Serum used in cell culture process	
Chicken Protein	Afluria (CSL)	Influenza	trace amounts	
	Fluarix (GSK)	Influenza	trace amounts	
	FluLaval (GSK)	Influenza	trace amounts	
	H1N1 (CSL)	H1N1 Influenza	trace amounts	
	Imovax (sp)	Rabies	trace amounts	
	RabAvert (Chiron)	Rabies	trace amounts	
	YF-Vax (sp)	Yellow Fever	trace amounts	
Chlortetracyclin	Dryvax (W)	Smallpox	200 mcg/mL (100/0.5 mL)	
	RabAvert (Novartis)	Rabies	< 20 ng	
Dihydrostreptomycin	Dryvax (W)	Smallpox	200 mcg/mL (100/0.5 mL)	
Egg	Afluria (CSL)	Influenza	residual egg proteins	
	Agriflu (Novartis)	Influenza	residual, <0.4 mcg	
	Attenuvax (Merck)	Measles	residual egg proteins	
	Fluarix (GSK)	Influenza	residual	
	FluLaval (GSK)	Influenza	residual (≤ 1 mcg ovalbumin)	
	Flumist (MedImmune)	Influenza		
	Fluvirin (Novartis)	Influenza	residual	
	Fluzone (sp)	Influenza	residual	
	H1N1 (CSL)	H1N1 Influenza	residual	
	H1N1 (GSK)	H1N1 Influenza	≤ 1 mcg	
	H1N1 (Novartis)	H1N1 Influenza	trace amounts	
	H1N1 (sanofi pasteur)	H1N1 Influenza	trace amounts	
	H1N1-nasal (MedImmune)	H1N1 Influenza	trace amounts	
	MMR II (Merck)	MMR	residual	
	Mumpsvax (Merck)	Mumps	residual	
	ProQuad (Merck)	MMR+varicella	residual	
	RabAvert (Chiron)	Rabies	trace amounts	
	YF-Vax (sp)	Yellow Fever	trace amounts	
	Gelatin (Bovine)	RabAvert (Novartis)	Rabies	<12 mg (Polygeline)
	Gelatin (Porcine)	Attenuvax (Merck)	Measles	Hydrolyzed Gelatin, 14.5 mg
Flumist (MedImmune)		Influenza	Hydrolyzed Gelatin, 2.00 mg	
Fluzone (sp)		Influenza	0.05% (added as a stabilizer)	
H1N1 (sanofi pasteur)		H1N1 Influenza	0.05% (added as a stabilizer)	
H1N1-nasal (MedImmune)		H1N1 Influenza	Hydrolyzed Gelatin, 2.00 mg	
JE-Vax		Japanese Encephalitis	<500 mcg	
Meruvax II (Merck)		Rubella	Hydrolyzed Gelatin, 14.5 mg	
MMR II (Merck)		Measles, Mumps, Rubella	Hydrolyzed Gelatin, 11 mg	
Mumpsvax (Merck)		Mumps	Hydrolyzed Gelatin, 14.5 mg	
ProQuad (Merck)		MMR+varicella	Hydrolyzed Gelatin, 14.5 mg	

	Tripedia (sp)	DTaP	residual used in the production of the pertussis concentrate	
	Varivax (Merck)	Varicella	Hydrolyzed Gelatin, 12.5 mg/dose	
	YF-Vax (sp)	Yellow Fever	as stabilizer	
	Zostavax (Merck)	Varicella Zoster	Hydrolyzed gelatin, 15.58 mg	
Gentamicin Sulfate	Flumist (MedImmune)	Influenza	<0.015 mcg/mL	
	Fluarix (GSK)	Influenza	≤0.15 mcg	
	H1N1-nasal (MedImmune)	H1N1 Influenza	<0.015 mcg/mL	
Latex	ActHIB (AP)	Hib	Diluent vial stopper; vaccine vial contains no rubber	
	Boostrix (GSK)	Tdap	Cap/Plunger of needleless prefilled syringe contain dry natural latex rubber	
	Comvax (Merck)	Hib-HepB	Stopper	
	DAPTACEL (sp)	DTaP	Stopper	
	DT (AP)	DT	Stopper	
	Engerix-B (GSK)	Hep B	Cap/Plunger of needleless prefilled syringe contain dry natural latex rubber	
	Fluarix (GSK)	Influenza	Cap/Plunger of needleless prefilled syringe contain dry natural latex rubber	
	Certarix (GSK)	HPV	Tip cap and plunger of needleless prefilled syringes contain dry natural latex rubber; vial stopper is latex-free	
	Havrix (GSK)	Hep A	Cap/Plunger of needleless prefilled syringe contain dry natural latex rubber	
	HibTITER (Wyeth)	Hib	vial stopper contains dry natural rubber	
	Infanrix (GSK)	DTaP	Cap/Plunger of needleless prefilled syringe contain dry natural latex rubber	
	Kinrix (GSK)	DTaP/IPV	Syringe may contain dry natural latex rubber	
	Menactra (sp)	Meningococcal	Stopper	
	MENOMUNE (sp)	Meningococcal	Stopper	
	Pediarix (GSK)	DTaP-HepB-IPV	Cap/Plunger of needleless prefilled Syringe contain dry natural latex rubber	
	PedvaxHIB (Merck)	Hib		
	Pevnar (WL)	Pneumococcal	Stopper	
	Rotarix (GSK)	Rotavirus	Tip cap and Rubber Plunger of applicator	
	Td (sp)	Td	Stopper, needle cover, plunger	
	TriHIBit (sp)	DTaP-Hib	Diluent vial stopper; vaccine vial contains no rubber	
	Tripedia (sp)	DTaP	Stopper	
	Twinrix (GSK)	Hep AB	Tip cap and plunger of needleless prefilled syringes contain dry natural latex rubber; vial stopper is latex-free	
	Vaqa (Merck)	Hepatitis A	Stopper	
	YF-Vax (sp)	Yellow Fever	Stopper	
	Neomycin	Afluria (CSL)	Influenza	≤0.2 pg (Neomycin sulfate)
		Agriflu (Novartis)	Influenza	≤0.02 mcg
		Attenuvax (Merck)	Measles	25 mcg
		Dryvax (W)	Smallpox	100 mcg/mL (50 units/0.5 mL)
Fluvirin (Novartis)		Influenza	≤2.5 mcg	
H1N1 (CSL)		H1N1 Influenza	≤0.2 pg (Neomycin sulfate)	
H1N1 (Novartis)		H1N1 Influenza	≤2.5 mcg	
Havrix (GSK)		Hep A	≤40 ng/mL (Neomycin sulfate)	
Imovax Rabies (sp)		Rabies	<150 mcg (Neomycin Sulfate)	

	IPOL (sp)	Polio	<5 ng
	Kinrix (GSK)	DTaP/IPV	≤0.05 ng
	Meruvax II (Merck)	Rubella	25 mcg
	MMR II (Merck)	MMR	25 mcg
	Mumpsvac (Merck)	Mumps	25 mcg
	Pentacel (sp)	DTaP-IPV-Hib	<4 pg
	Pediarix (GSK)	DTaP-HepB-IPV	≤0.05 ng
	ProQuad (Merck)	MMR+Varicella	<16 mcg
	RabAvert (Chiron)	Rabies	< 1 mcg
	Twinrix (GSK)	Hep AB	≤20 ng
	Varivax (Merck)	Varicella	trace amounts
	Zostavax (Merck)	Varicella Zoster	trace amounts
Ovalbumin	Afluria (CSL)	Influenza	≤ 1 mcg
	Fluarix (GSK)	Influenza	≤ 1 mcg
	FluLaval (sp)	Influenza	≤1 mcg
	H1N1 (Novartis)	H1N1 Influenza	≤1 mcg
	H1N1 (GSK)	H1N1 Influenza	≤1 mcg
	RabAvert (Novartis)	Rabies	< 3 ug
Polymyxin B	Afluria (CSL)	Influenza	≤0.03pg
	Dryvax (W)	Smallpox	100 units/mL (50 units/0.5 mL)
	Fluvirin (Novartis)	Influenza	undetectable amounts
	H1N1 (Novartis)	H1N1 Influenza	≤3.75 mcg
	IPOL (sp)	Polio	25 ng
	Kinrix (GSK)	DTaP/IPV	≤0.01 ng
	Pediarix (GSK)	DTaP-HepB-IPV	≤0.01 ng
	Pentacel (sp)	DTaP-IPV-Hib	<4 pg (polymyxin B sulfate)
Serum, Fetal Bovine	Attenuvax (Merck)	Measles	<1 ppm
	IPOL (sp)	Polio	<1 ppm
	Meruvax II (Merck)	Rubella	<1 ppm
	MMR II (Merck)	MMR	<1 ppm
	Mumpsvac (Merck)	Mumps	<1 ppm
	ProQuad (Merck)	MMR+varicella	0.5 mcg
	RotaTeq (Merck)	Rotavirus	trace amounts
	Varivax (Merck)	Varicella	trace amounts
	Zostavax (Merck)	Varicella Zoster	trace amounts
Sodium taurodeoxycholate	Afluria (CSL)	Influenza	<10 ppm
Streptomycin	IPOL (sp)	Polio	<200 ng
Thimerosal	Afluria (CSL)	Influenza	24.5 mcg mercury
	Decavac (sp)	Td	trace amounts; ≤0.3 mcg mercury
	DT (sp)	DT	25 mcg mercury in multidose; trace amounts in single dose
	FluLaval (GSK)	Influenza	25 mcg mercury
	Fluvirin (Novartis)	Influenza	≤1 mcg mercury in prefilled syringe; 25 mcg mercury per dose in multidose vial
	Fluzone (sp)	Influenza	none in No Preservative presentations; 25 mcg mercury in multi-dose vial
	H1N1 (CSL)	H1N1 Influenza	24.5 mcg mercury

	H1N1 (Novartis)	H1N1 Influenza	≤1 mcg mercury in prefilled syringe; 25 mcg mercury per dose in multidose vial
	H1N1 (sp)	H1N1 Influenza	none in No Preservative presentations; 25 mcg mercury in multi-dose vial
	JE-Vax (sp)	Japanese Encephalitis	0.007%
	MENOMUNE (sp)	Meningococcal	25 mcg mercury in multidose; trace amounts in single dose
	Pediarix (GSK)	DtAp-HepB-IPV	trace amounts
	Tetanus Toxoid Adsorbed (Aventis)	Tetanus Toxoid Adsorbed	25 mcg mercury in multidose vial; ≤0.3 mcg mercury in single dose
	TriHIBit (sp)	Hib	trace amounts
	Tripedia (sp)	DTaP	trace amounts; ≤0.3 mcg mercury
Yeast	Comvax (Merck)	Hib-HepB	"The vaccine contains no detectable yeast DNA, and 1% or less of the protein is of yeast origin."
	Engerix-B (GSK)	Hep B	<5% yeast protein
	Gardasil (Merck)	HPV	<7 mcg yeast protein/dose
	HibTITER (Wyeth)	Hib	"...yeast extract-based medium that is ultrafiltered before use."
	Menveo (Novartis)	Meningococcal	"...CY medium containing yeast extracts ..."
	Pediarix (GSK)	Hep B	≤5% yeast protein
	Prevnar (WL)	Pneumococcal	"...and yeast extract-based medium"
	Recombivax HB (Merck)	Hep B	<1%
	Twinrix (GSK)	Hep AB	≤5% yeast protein
	Vivotif Berna (Berna)	Typhoid	yeast extract from media

updated February 2010